

# SAFETY DATA SHEET

Creation Date 29-Aug-2014

Revision Date 24-May-2017

**Revision Number** 2

# 1. Identification Product Name Graphite Powder

Cat No. :

G67-500

Synonyms

mineral carbon; crystallized carbon; Black lead

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

#### Details of the supplier of the safety data sheet

#### <u>Company</u>

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

#### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

### 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious Eye Damage/Eye Irritation Carcinogenicity Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Specific target organ toxicity - (repeated exposure) Target Organs - Lungs.

Category 2 Category 1A Category 3

Category 2

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

Causes serious eye irritation May cause cancer by inhalation May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

WARNING! This product contains a chemical known in the State of California to cause cancer.

## 3. Composition / information on ingredients

Component	CAS-No	Weight %
Graphite	7782-42-5	> 99
Quartz	14808-60-7	< 1

4. First-aid measures					
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.				
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.				
Inhalation Move to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptom occur.					
Ingestion Do not induce vomiting. Get medical attention if symptoms occur.					
Most important symptoms/effects Notes to Physician	No information available. Treat symptomatically				
5. Fire-fighting measures					

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguishing Media	No information available
Flash Point Method -	No information available No information available
Autoignition Temperature	730 °C / 1346 °F
Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA_ Health 2	Flammability 1	Instability 0	Physical hazards N/A				
	6. Accidental re	lease measures					
Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing.						
Environmental Precautions	Avoid release to the environment.						
Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.							
	7. Handling	and storage					
Handling	Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. not breathe dust. Avoid contact with skin, eyes and clothing.						

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Graphite	TWA: 2 mg/m <sup>3</sup>	(Vacated) TWA: 2.5 mg/m <sup>3</sup> (Vacated) TWA: 10 mg/m <sup>3</sup> (Vacated) TWA: 5 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	IDLH: 1250 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Quartz	TWA: 0.025 mg/m <sup>3</sup>	(Vacated) TWA: 0.1 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.			
Personal Protective Equipment				
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.			
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.			
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.			
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.			

## 9. Physical and chemical properties

Physical State	Solid
Appearance	Greenish-blue
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	3652.2 - 3697.2 °C / 6606 - 6687 °F
Boiling Point/Range	4200 °C / 7592 °F
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	negligible
Vapor Density	No information available
Specific Gravity	2.09 - 2.25
Solubility	Insoluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	730 °C / 1346 °F
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C
Molecular Weight	12

## 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Avoid dust formation. Excess heat.
Incompatible Materials	No information available
Hazardous Decomposition Product	<b>s</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

# 11. Toxicological information

#### Acute Toxicity

Product Information Component Information		No acu	te toxicity ii	nformation is avail	able for this produc	X			
Compone	L	050 Oral		LD50 Dermal	LC50	nhalation			
Quartz			00 mg/kg (R	lat )	Not listed Not listed				
oxicologically Syr	No info	No information available							
Products Delayed and immed	diate effects	as well as cl	hronic effe	cts from short ar	d long-term expo	osure			
rritation		Irritating	g to eyes a	nd respiratory sys	em				
Sensitization		No info	rmation ava	ailable					
Carcinogenicity		The tab	ole below in	dicates whether e	ach agency has lis	ted any ingredient a	as a carcinoger		
Component	CAS-No		ARC	NTP	ACGIH	OSHA	Mexico		
Graphite	7782-42-		ot listed	Not listed	Not listed	Not listed	Not listed		
Quartz IARC: (Internation	14808-60		roup 1	Known	A2	Х	Not listed		
ACGIH: (America Hygienists)	an Conference	e of Governme	ental Industr	Reasonabl Carcinoger ial A1 - Knowr A2 - Suspe A3 - Anima	Human Carcinogen cted Human Carcino I Carcinogen	gen			
ACGIH: (American Conference of Governmental Industrial Hyg Mutagenic Effects No information available							istriai Hygienists		
Reproductive Effec	ts	No info	rmation ava	ailable.					
Developmental Effects No information available.									
Feratogenicity		No info	rmation ava	ailable.					
STOT - single expo STOT - repeated ex	- single exposure Respiratory system - repeated exposure Lungs								
Aspiration hazard		No information available							
Symptoms / effects delayed	s,both acute	and No info	d No information available						
Endocrine Disrupto	or Informatio	n No info	No information available						
Other Adverse Effe	cts	The tox	kicological p	properties have no	t been fully investi	gated.			
		1:	2. Ecol	ogical infor	mation				
<u>Ecotoxicity</u> Do not empty into dr	ains.								
	<b>.</b>								

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

Mobility	No information available.					
	13. Disposal considerations					
Waste Disposal Methods         Chemical waste generators must determine whether a discarded chemical is classified hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification						
	14. Transport information					
DOT	Not regulated					
TDG IATA	Not regulated					
IATA_	Not regulated					
IMDG/IMO	Not regulated					
	15. Regulatory information					

All of the components in the product are on the following Inventory lists: Australia X = listed China Canada Europe TSCA Korea Philippines

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Graphite	Х	Х	-	231-955-3	-		Х	-	Х	Х	Х
Quartz	Х	Х	-	238-878-4	-		Х	Х	Х	Х	Х

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

Yes Yes No No No

U.S. Federal Regulations

TSCA 12(b)	Not applicable				
SARA 313	Not applicable				
SARA 311/312 Hazard Categories Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Ha Reactive Hazard	zard				
CWA (Clean Water Act)	Not applicable				
Clean Air Act Not applicable					
<b>OSHA</b> Occupational Safety and Health Administration Not applicable					

CERCLA Not applicable

Х

Х

\_

Х

#### **California Proposition 65**

Graphite

Quartz

This product contains the following proposition 65 chemicals

Х

Х

Component	CAS-No	California P	California Prop. 65		65 NSRL	Category
Quartz	14808-60-7	Carcino	Carcinogen		-	Carcinogen
U.S. State Right-to-Know	v					
Regulations						
Component	Massachusetts	New Jersey	Pennsy	/Ivania	Illinois	Rhode Island

Х

Х

## U.S. Department of Transportation

Reportable Quantity (RQ):	Ν
DOT Marine Pollutant	Ν
DOT Severe Marine Pollutant	Ν

#### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

Х

Х

#### Other International Regulations

No information available

	16. Other information	
Prepared By	Regulatory Affairs	
	Thermo Fisher Scientific	
	Email: EMSDS.RA@thermofisher.com	
Creation Date	29-Aug-2014	
Revision Date	24-May-2017	
Print Date	24-May-2017	
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).	

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**