Version 1.3	Revision Date: 02/16/2015	MSDS 31905-0	Number: 00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014			
SECTION	I 1. IDENTIFICATION						
Product name		: PRO	: PRO•LINK® green™ Mixed Berry Foam Soap				
Product code		: PM	PM256; TF701; TF726				
Manufacturer or supplier's Company name of supplier Address Telephone Emergency telephone Recommended use of the c Recommended use		: PR( : 500 Car : 781 : 866 chemical					
Restrictions on use		con fore spe exe Wh con proj as v spill emp inte	sumers and o seeable use. cifically define mpt from the r le this materia tains valuable ber use of the vell as unusua s. This SDS s bloyees and o nded-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information mackage or instruction sheet.			

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Eye irritation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention:
	1 / 13

Version	Revision Date:	MSDS Number:	Date of last issue: 01/02/2015
1.3	02/16/2015	31905-00004	Date of first issue: 11/24/2014
		P280 Wear eye <b>Response:</b> P305 + P351 + for several minu to do. Continue	n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water ites. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/

## Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5
Glycerine	56-81-5	>= 1 - < 5

### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Version 1.3	Revision Date: 02/16/2015		SDS Number: 905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
Notes	Notes to physician		Treat symptoma	atically and supportively.		
SECTION	5. FIRE-FIGHTING ME	ASL	IRES			
Suita	ble extinguishing media	:	Water spray Alcohol-resistar Dry chemical Carbon dioxide			
Unsu media	itable extinguishing a	:	None known.			
	Specific hazards during fire fighting		Exposure to combustion products may be a hazard to health.			
Haza ucts	Hazardous combustion prod- ucts		Sulfur oxides Carbon oxides Metal oxides Nitrogen oxides	(NOx)		
	Specific extinguishing methods		circumstances a Use water spray	ng measures that are appropriate to local and the surrounding environment. / to cool unopened containers. aged containers from fire area if it is safe to do		
	Special protective equipment for fire-fighters			ire, wear self-contained breathing apparatus. otective equipment.		
SECTION	6. ACCIDENTAL RELE	AS	E MEASURES			
prote	Personal precautions, protective equipment and emergency procedures			otective equipment. dling advice and personal protective mmendations.		
Envir	onmental precautions	:	: Discharge into the environment must be avoided.			

	Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and

# **PRO•LINK**<sup>®</sup> green<sup>™</sup> Mixed Berry Foam Soap

Version 1.3	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
		employed in the determine white Sections 13 and	disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.		
SECTION	7. HANDLING AND S	TORAGE			
Technical measures			ng measures under EXPOSURE PERSONAL PROTECTION section.		
Local/Total ventilation		: Use only with	Use only with adequate ventilation.		
Advice on safe handling		Do not swallov Do not get in e Avoid prolong Handle in acco practice.			
Con	Conditions for safe storage : Keep in properly labeled containers. Store in accordance with the particular national regu				
Materials to avoid		: Do not store w Strong oxidizir	vith the following product types: ng agents		

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

## Engineering measures

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

#### Personal protective equipment

# **PRO•LINK**<sup>®</sup> green<sup>™</sup> Mixed Berry Foam Soap

Version 1.3	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
Respiratory protection		maintain va concentratic unknown, a Follow OSH use NIOSH by air purify hazardous c supplied res release, exp	I local exhaust ventilation is recommended to bor exposures below recommended limits. Where ons are above recommended limits or are opropriate respiratory protection should be worn. A respirator regulations (29 CFR 1910.134) and MSHA approved respirators. Protection provided ing respirators against exposure to any chemical is limited. Use a positive pressure air opirator if there is any potential for uncontrolled bosure levels are unknown, or any other e where air purifying respirators may not provide otection.		
	l protection aterial	: Impervious	Impervious gloves		
Re	Remarks		: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.		
Еуе р	protection	: Wear the fo Safety gogg	llowing personal protective equipment: les		
Skin	and body protection	<ul> <li>Select appropriate protective clothing based on chemic resistance data and an assessment of the local exposi- potential.</li> <li>Skin contact must be avoided by using impervious pro- clothing (gloves, aprons, boots, etc).</li> </ul>			
Hygie	Hygiene measures		eye flushing systems and safety showers are e to the working place. do not eat, drink or smoke. minated clothing before re-use.		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, blue
Odor	: fruity
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Initial boiling point and boiling	: No data available

Version 1.3	Revision Date: 02/16/2015		9S Number: 95-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
ran	ge					
Fla	Flash point		> 100 °C			
Eva	Evaporation rate		No data available	)		
Fla	mmability (solid, gas)	:	: Not applicable			
Upp	per explosion limit	:	: No data available			
Lov	ver explosion limit	:	No data available	)		
Vap	oor pressure	:	No data available			
Rel	Relative vapor density		No data available			
Der	Density		1.00 g/cm3			
	ubility(ies) Vater solubility	:	soluble			
	tition coefficient: n- anol/water	:	Not applicable			
Aut	oignition temperature	:	No data available	)		
Dec	composition temperature	:	The substance of	r mixture is not classified self-reactive.		
	cosity /iscosity, kinematic	:	10 - 20 mm2/s (2	0 °C)		
Exp	losive properties	:	Not explosive			
Oxi	dizing properties	:	The substance of	r mixture is not classified as oxidizing.		

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

ersion 3	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
ECTION	11. TOXICOLOGICA	L INFORMATION	
Inhala Skin o Inges	contact	es of exposure	
	e toxicity assified based on ava	ailable information.	
Ingre	dients:		
	nols, C10-16, ethoxy oral toxicity	lated, sulfates, sodiur : LD50 (Rat): > 2 Assessment: Th toxicity	
	amidopropyl betaine oral toxicity	: LD50: > 5,000 r Method: OECD	ng/kg Test Guideline 401 d on data from similar materials
Acute	dermal toxicity	Assessment: Th toxicity	,000 mg/kg Test Guideline 402 ne substance or mixture has no acute derma d on data from similar materials
<b>Glyce</b> Acute	erine: oral toxicity	: LD50 (Rat): > 5	,000 mg/kg
-	corrosion/irritation assified based on ava	ailable information	
Produ			
Alcoh	dients: nols, C10-16, ethoxy t: Skin irritation	lated, sulfates, sodiur	n salts:
<b>Glyce</b> Resul	erine: t: No skin irritation		
	<b>us eye damage/eye</b> es serious eye irritatio		
<u>Produ</u> Resul		versing within 21 days	
	<u>dients:</u> nols, C10-16, ethoxy		

Version	Revision Date:	MSDS Number:
1.3	02/16/2015	31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Result: Irreversible effects on the eye

#### Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

#### **Glycerine:**

Result: No eye irritation

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

#### **Cocoamidopropyl betaine:**

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

#### Germ cell mutagenicity

Not classified based on available information.

#### Ingredients:

#### Cocoamidopropyl betaine:

ooodannaopropyr betanie.		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Glycerine:		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Ingredients:

#### **Glycerine:**

rsion	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014		
Applic Expos	es: Rat cation Route: Ingestion sure time: 2 Years lt: negative				
IARC		No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.			
OSHA			No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP			is product present at levels greater than or lentified as a known or anticipated carcinoge		
-	oductive toxicity				
	lassified based on availa	ble information.			
-	dients:				
	amidopropyl betaine: ts on fetal development	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414		
Glyce	prine.				
	ts on fertility	: Test Type: Two Species: Rat Application Rou Result: negative	•		
Effect	ts on fetal development	: Test Type: Emb Species: Rabbi Application Rou Result: negative	ite: Ingestion		
	<b>-single exposure</b> lassified based on availa	ble information			
	F-repeated exposure lassified based on availation	ble information			
	ated dose toxicity				
-	-				
-	<u>dients:</u> amidopropyl betaine:				
Speci	es: Rat EL: 250 mg/kg				

NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d

# **PRO•LINK**<sup>®</sup> green<sup>™</sup> Mixed Berry Foam Soap

Version	Revision Date:	MSDS Number:
1.3	02/16/2015	31905-00004

Date of last issue: 01/02/2015 Date of first issue: 11/24/2014

Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

### Glycerine:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Ingredients:	
<b>Cocoamidopropyl betaine:</b> Toxicity to fish :	LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials
Toxicity to bacteria :	EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Glycerine:	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria :	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Persistence and degradability	
Product:	
Biodegradability :	Result: Biodegradable
Ingredients:	
Alcohols, C10-16, ethoxylated,	
Biodegradability :	Result: Readily biodegradable.
<b>Cocoamidopropyl betaine:</b> Biodegradability :	Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d

Version 1.3	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2015 Date of first issue: 11/24/2014
			Test Guideline 301 ed on data from similar materials
<b>Glyce</b> Biode	r <b>ine:</b> gradability	: Result: Readily Biodegradation Exposure time:	: 94 %
Bioac	cumulative potential		
<b>Glyce</b> Partiti	dients: prine: on coefficient: n- pl/water	: log Pow: -1.76	
	<b>ity in soil</b> ta available		
Other	adverse effects		
No da	ta available		
SECTION			

#### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

**UNRTDG** Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### **IMDG-Code** Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

Version 1.3	Revision Date: 02/16/2015	MSDS Number: 31905-00004	Date of last issue: 01/02/2 Date of first issue: 11/24/2		
SECTION	15. REGULATORY I	NFORMATION			
EPC	RA - Emergency Plar	ning and Community	Right-to-Know		
	CLA Reportable Qua	-			
This	material does not cont	ain any components wit	h a CERCLA RQ.		
SAR	A 304 Extremely Haz	ardous Substances Re	eportable Quantity		
This	material does not cont	ain any components wit	h a section 304 EHS RQ.		
SAR	A 311/312 Hazards	: Acute Health Ha	zard		
SAR	A 302		No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SAR	A 313	known CAS nun	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
US S	tate Regulations				
Penn	sylvania Right To Kı	now			
	Water		7732-18-5	90 - 100 %	
	Glycerine		56-81-5	1 - 5 %	
New	Jersey Right To Kno	w			
	Water		7732-18-5	90 - 100 %	
	Alcohols, ( sodium sa	C10-16, ethoxylated, su lts	lfates, 68585-34-2	1 - 5 %	
		opropyl betaine	61789-40-0	1 - 5 %	
	Glycerine		56-81-5	1 - 5 %	
Calif	ornia Prop 65		es not contain any chemicals ia to cause cancer, birth, or fects.		

### The ingredients of this product are reported in the following inventories:

AICS

: All ingredients listed or exempt.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)



# **SECTION 16. OTHER INFORMATION**

#### **Further information**



HMIS III:



#### Full text of other abbreviations

OSHA Z-1 OSHA Z-1 / TWA		USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants 8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/16/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8