Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 04/21/2015 REVISION: 4.27.2022 Version: 1.0

1.1. Product identifier	
Product name	: AERO 30V SPRING FLOWERS
Product code	: 1821656
SKU #	: 2024587
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Aerosol Air care products Odour agents For professional use only
1.3. Details of the supplier of the s	afety data shcet
HOME DEPOT PRO 701 San Marco Blvd. Jacksonville, FL 32207 - USA T 1-866-412-6726 (Product Information)	
1.4. Emergency telephone number	
Emergency number	: 1-800-451-8346
SECTION 2: Hazards identificati	
	on i or mixture
GHS-US classification	
Flam. Aerosol 1 H222 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 STOT SE 3 H336	
Full text of H statements : see section 16	
2.2. Label elements	
2.2. Label elements GHS-US labelling	
	:
GHS-US labelling	:
GHS-US labelling Hazard pictograms (GHS-US)	: Weight of the second

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

n for Unknown acute toxicity (GHS US) and a conference of the conference between the back of the conference of the confe 2.4.

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Mixtures¹¹ of the device of the electricity of the electricity of the construction of the electric terms in the electre terms in the electre terms in the electric terms in th 3.2.

Name	Product identifier	%	GHS-US classification
Acetone	(CAS-No.) 67-64-1	20 - 50	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
BENZYL SALICYLATE	(CAS-No.) 118-58-1	0.1 - 1	Skin Sens. 1, H317
EUGENOL	(CAS-No.) 97-53-0	0.1 - 1	Eye Irrit, 2A, H319 Skin Sens, 1, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	uud pahennaan maadalaan madagaan keen keen kaan kaan kaan kaan kaan k
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of soap and water. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s, both acute and delayed ^{to all considerate spaces to exceede the province to the behavior of the exceeder of}
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation,
Symptoms/effects after eye contact	: Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed in Annotation demonstration devices and a special treatment needed in Annotation device No additional information available

SECTION 5: Fireflighting measures	
5.1. Extinguishing media	er en en en en en en en angen de bener de bereken en e
Suitable extinguishing media	: Foam, Dry powder, Carbon dioxide, Water spray, Sand,
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sub	stance of mixture the additionation and additional and the second of the excitote excitote electron and the second
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	a dinaken na manana na penderika ng penderikan sebenak kana ana ang manana ang pendera ang pendera sebenak seb
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures with the second state of the secon
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
	EN (English) 2/8

Safety Data Sheet

according to Federal Register	/ Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations	

6.1.2. For emergency responder	S
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precaution	S
	ters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as

soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	: No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	ng any incompatibilities
Technical measures	: Comply with applicable regulations,
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases, Strong acids,
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

AERO 30V SPRIN	G FLOWERS		
ACGIH	Not applicable		
OSHA	Not applicable	Not applicable	
HEXYLENE GLYC	OL (107-41-5)		
ACGIH	ACGIH TWA (ppm)	25 ppm	
ACGIH	ACGIH STEL (mg/m³)	10 mg/m ³	
ACGIH	ACGIH STEL (ppm)	50 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr	
OSHA	Not applicable		
DNEL	DNEL	14 mg/m³	
Acetone (67-64-1)			
ACGIH	ACGIH TWA (ppm)	250 ppm	
ACGIH	ACGIH STEL (ppm)	500 ppm	
ACGIH	Remark (ACGIH)	eye irr; CNS impair; BEI	
OSHA	OSHA PEL (TWA) (mg/m³)	2400 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	
DNEL	DNEL	2110 mg/m ³	
EUGENOL (97-53-0))		
ACGIH	Not applicable	ne ee ee state geververne statijngeving in die in die in die in die statistie (March 1997), die 1997 Gebeure	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

EUGENOL (97-53	-0)	
OSHA	Not applicable	
DNEL	DNEL	36 mg/m ³
BENZYL SALICYL	LATE (118-58-1)	
ACGIH	Not applicable	
OSHA	Not applicable	νη π.γ.η η.

8.2. Exposure controls	a an
Appropriate engineering controls	 Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use.
Respiratory protection	: None under normal use.
Other information	· Do not eat, drink or smoke during use

Other information	: Do not eat, drink or smoke during use.
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: clear. Transparent.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol
Vapour pressure	: 4.5 - 5.5 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.7
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 1.8 - 19 vol %
9.2./ March Other information and a defendation of	. Haa oo ya haa kuu haa waxaa waxaa waxaa kuu kuu kuu kuu kuu kuu kuu kuu kuu k
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Hills Reactivity Haddeddataaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa	la an an an an an an ann an ann an an an

Stable under normal conditions of use.

10.2. Chemical stability of the device of th Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight, Extremely high or low temperatures. Heat, Sparks, Open flame, Overheating,

10,5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

50100 mg/l/4h
: Causes skin irritation.
: Causes serious eye irritation.
: May cause an allergic skin reaction.
: Not classified
Based on available data, the classification criteria are not met
: Not classified
: Not classified
Based on available data, the classification criteria are not met
: May cause drowsiness or dizziness.
: Not classified
: Not classified
: Based on available data, the classification criteria are not met.
: Shortness of breath. May cause an allergic skin reaction. May cause drowsiness or dizziness.
: Causes skin irritation.
: Causes serious eye irritation.

SECTION 12: Ecological information

12.1, Toxicity

HEXYLENE GLYCOL (107-41-5)	
LC50 fish 1	8690 mg/l
EC50 other aquatic organisms 1	5410 mg/l waterfiea
EC50 other aquatic organisms 2	> 429 mg/l
Acetone (67-64-1)	
LC50 fish 1	5540 mg/i
EC50 other aquatic organisms 1	12600 mg/l waterflea
EC50 other aquatic organisms 2	3400 mg/l
EUGENOL (97-53-0)	
LC50 fish 1	5.6 mg/l
EC50 other aquatic organisms 1	1.9 mg/l waterflea
EC50 other aquatic organisms 2	15.4 mg/l

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

AERO 30V SPRING FLOWERS	
Persistence and degradability	Not established.
Acetone (67-64-1)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

	Net established
Bioaccumulative potential	Not established.
HEXYLENE GLYCOL (107-41-5)	
Log Pow	-0.1
Acetone (67-64-1)	
Log Pow	-0.24
Bioaccumulative potential	Not established.
EUGENOL (97-53-0)	
Log Pow	2.27

No additional information available

12.5. Other adverse effects	a de la completa da cala de la completa de la completa da completa da completa da la completa da completa da co
Effect on ozone layer	: None to our knowledge
Effect on the global warming	: No known effects from this product.
Other information	: Avoid release to the environment.
SECTION 13: Disposal consideration	16

13.1. Waste treatment methods	a dan kalanin manakan kang ng kang palikan manakan kang palikan na kang pang pang pang pang pang pang pang p
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	 Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Avoid release to the environment.

(5)=(0)1 (0)N 4/4;	l ransport i	niormation
--------------------	--------------	------------

In accordance with DOT	
Transport document description	: UN1950 Aerosols, 2.1
UN-No.(DOT)	; UN1950
Proper Shipping Name (DOT)	: Aerosols
Class (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas
	TANNAT CIT
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49	: 150 kg

DOT Quantity Limitations Cargo aircraft only (49 : CFR 175.75)

DOT Vessel Stowage Location

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials	
Additional Information		
Other information	: No supplementary information available.	
ADR		
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)	
Class (ADR)	: 2 - Gases	
Classification code (ADR)	: 5F	
Danger labels (ADR)	: 2.1 - Flammable gases	
_		
Tunnel restriction code (ADR)	: D	
LQ	: 11	
Excepted quantities (ADR)	: E0	
Transport by sea		
UN-No. (IMDG)	: 1950	
Proper Shipping Name (IMDG)	: AEROSOLS	
Class (IMDG)	: 2 - Gases	
Air transport		
UN-No. (IATA)	: 1950	
Proper Shipping Name (IATA)	: Aerosols, flammable	
Class (IATA)		

SECTION 15: Regulatory information

15.1. US Federal regulations

HEXYLENE GLYCOL (107-41-5) Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

Acetone (67-64-1)

Subject to reporting requirements of United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

EUGENOL (97-53-0)

Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

BENZYL SALICYLATE (118-58-1)

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations CANADA No additional information available

EU-Regulations No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol 1 H222;H229 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H336 Full text of hazard classes and H-statements : see section 16

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

Acetone (67-64-1)

U.S. -New York - RTK list Hazardous Substances

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other Inform	nation
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling,

not be applicable. None,

Full text of H-statements:

H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product